

Exhibit 9





EROSION CONTROL NOTES

- ALL WORK MO MERIALS SHALL BE IN COORDINCE WITH THE CURRENT EDITION OF THE WISDOT STANDARD SPECIFICATIONS FOR ROAD, BROCE, AND MINIOTHAL CONSTRUCTION, "CITY ENGLISHED CONTROL CONSTRUCTION," CITY ENGLISHED CONTROL CONTROL IT SHALL BE THE SIZE RESPONSIBILITY OF THE APPLICANT MO THER PROVIDEDS SHALL BROWNER TO CORRECT MA) DITCH ANY BROKES, GIANGSON, OR WARRIONS FROM THE SIZE SHALL BROWNER.
- PLANS.

 PRIOR TO BEGINNING ANY SITE CONSTRUCTION, THE APPLICANT THEIR ENGINEER, AND CONTRACTOR SHALL MEET WITH THE ENGINEERING DEPARTMENT FOR A PRE-CONSTRUCTION
- CONTRICTOR SHALL MEET WITH THE DEPORTEDING EXPANDIANT FOR A PRE-CONSTRUCTION NETWORK OF CONTRICTOR SHALL MEET WITH THE CONTRICTOR SHALL MEET WAS ASSOCIATED SHARLD FOR CONTRICTOR SHALL MEET WAS ASSOCIATED SHARLD FOR CONTRICTOR TO MERCHANDRAY WERFY THE ACCURACY OF ALL UILLIFLY LOURIDORS SHOWN AND FREEDRICK WAS ASSOCIATED SHARLD FOR THE CONTRICTOR TO MERCHANDRAY WERFY THE ACCURACY OF ALL UILLIFLY LOURIDORS SHOWN AND FREEDRICK WAS ASSOCIATED SHALL DISCOVERY THE CONTRICTOR SHALL DOWNER OF THE CONTRICTOR SHALL DOWNER THE UNDERSTRUCTURE SHALL DOWNER THE UNDERSTRUCTURE SHALL DOWNER SHALL BE CONTRICTED OF THE CONTRICTOR SHALL DOWNER SHALL BE CONTRICTED SHALL DOWNER SHALL BE CONTRICTED.

 5. HELD CONTRICTED SHALL DOWNER SHALL BE STEED SHALL BE SHELD SHALL BE CONTRICTED.

 5. A COPY OF THE PROPROUD DAYS MISS SHE ON THE SHE THE BRUNCHER CONSTRUCTION IS IN PROCESS.


- OF MILL GEER MERCETOR MY DETERMIC THE MEET FOR AND EXTENT OF ADDITIONAL TO TAKEN THE METAL AND THE METAL THE METAL THE METAL AND TO MINIMARE FROMON, AND TO MINIMARE FROMON, AND TO MINIMARE FROMON, THE SENGING METAL RESIDENCE OF METAL THE METAL RESIDENCE OF MET
- JAPPE ... A MANUAL STATE OF HIS TORS HE SHALL STATE OF HIS TOWN AND STATE OF HIS TOWN AN


- WILL DICKED ONE FOOT.


 IN THE COMPRISONS SMALL ASSURE THAN TO CONCRETE BY-PRODUCTS BRITE THE STORE DROWLES SHEEL SHALL ASSURE THAN TO CONCRETE BY-PRODUCTS SHEET THE STORE DROWLES SHEEL OF MUTURE. STORE LOCKESS, A MARKAW 200 CU. FT. SURF SHALL THAN THE STORE SHEEL SHEEL
- FACURES ISED FOR ERSON/SEMENTATION CORRICK, SMALL REF LUSIED AND CLEMED FACURES ISED FOR MORE SMALL REF OF ISSENCE CLEMEN ALL TURNS OF SECREPT, GLESHING OF THESE STREETS MALL NOT BE ALLOWED.


 20. THE COMPRISON SMALL REF RESTRICKED FOR PROVINCE ACCURATE SAFETY OF THE STREETS MALL NOT BE ALLOWED.


 THE LEFT, HIGHLIN AND SAFETY OF THE FURBLE, AND TO REPORT IN CONNECTION WITH THE PREVAMENCE OF WORK CORPORED BY THE CONTROL, THE WORLD FOR THE CONNECTION STREET, AND THE MALL PROVIDED BY THE CONTROL AND MORE THE ALLOWED STREETS AND THE CONTROL THE PROJECT, SUCH AND SIGNATURE AND THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE ALLOWED STREETS AND THE CONTROL THE ALLOWED STREETS AND THE A















UTILITY NOTE
THE CONTRACTOR SHALL VERBY THE LOCATION OF ALL EXISTING UTILITIES
PRIOR TO ANY CONSTRUCTION, AGENCES INVOLVED SHALL BE NOTIFIED
WITHIN A REASONABLE TIME PROOF TO THE START OF CONSTRUCTION.

DISCLAMMENT (INFORMATION CONTINUED ON THESE PLANS HAS BEEN PROMED OF OWNERS & ASSOCIATES, LIC, INC. (LAND CREELOPHEN) CONSILEMENT, SASTURES ON LIBERTY AS TO THE ACCURACY AND COMPLETENESS OF HIS DAY, ANY DISCREPANCIES FOUND ENTRED WHAT IS SKIRM ON HE PLANS AND WHAT IS NOTICE IN THE PELL SHOULD BE ROUGHT MEDICALLY OF THE ATTENDING OF THE DISCREPANCES.

DISCLAIMER





- CONSTRUCTION SEQUENCE PRIOR TO ANY CONSITRUCTION ACTIVITY, THE CONTRACTOR SHALL SCHEDULE AND ATTEND A PRE-CONSTRUCTION CONFERENCE WITH THE CITY OF MILL CREEK INSPECTOR BY PHONING 425-219-2086.
- (2) FLAG LIMITS OF CLEARING IN FIELD AS INDICATED ON THIS PLAN.
- (3) CLEAR FOR AND CONSTRUCT THE ROCKED CONSTRUCTION ACCESSES TO GRADE.
- (4) INSTALL ALL FABRIC FENCES.
- (5) CONSTRUCT DETENTION/WATER QUALITY POND TO SERVE AS SEDIMENT POND, ALONG WITH INTERCEPTOR SWALES; AND ROCK CHECK DAMS AS INDICATED ON THIS PLAN.
- (6) CLEAR, GRUB, AND GRADE SITE PER GRADING PLAN.
- (7) GRASS SEED/HYDROSEED DISTURBED AREAS AS SOON AS POSSIBLE
- (8) REMOVE TEMPORARY SEDIMENTATION/EROSION CONTROL MEASURES ONLY AFTER ALL DANGER OF EROSION AND SILIATION HAS PASSED. CLEAN OUT AIL PERMANENT DETENTION FACILITIES USED FOR SEDIMENTATION CONTROL AS NECESSARY.




Surveying Engineerir Planning


CREE 9 BY VINTAGE, MIL FARM AT EASTGATE

뿓



SHEET 7 OF 32







THE FARM AT MILL CREEK


EASTGATE BY VINTAGE, LP

GR-02

SHEET 11 OF 32







THE FARM AT MILL CREEK



GR-05 SHEET 14 OF 32

811 or 1-800-424-5555