




improvement plans


for: united development corp.
by: wilsey & ham inc.

vicinity




general notes

1. ALL CONSTRUCTION SHALL CONFORM WITH THESE PLANS AND SPECIFICATIONS AND APPLICABLE STANDARDS AND SPECIFICATIONS OF THE CITY OF MILL CREEK AND THE STATE OF WASHINGTON.
2. ALL EARTHWORK AND STORM DRAINAGE BACKFILL SHALL BE ACCOMPLISHED IN ACCORDANCE WITH THE SPECIFICATIONS AND UNDER THE DIRECTION OF THE ENGINEER.
3. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO LOCATE AND PROTECT FROM DAMAGE ALL EXISTING FACILITIES AT NO DIRECT COST TO THE OWNER OR ENGINEER.
4. ALL STATIONING SHOWN ON THESE PLANS SHALL REFER TO STREET CENTERLINE STATIONING UNLESS SPECIFICALLY NOTED OTHERWISE.
5. ELEVATIONS SHOWN ON THE PLANS ARE BASED UPON SEA LEVEL, AS ESTABLISHED BY THE U.S. COAST AND GEODETIC SURVEY, UNLESS SPECIFICALLY STATED OTHERWISE ON THE PLANS.
6. BASIS OF BEARINGS IS THE WASHINGTON STATE GRID SYSTEM - NORTH ZONE.
7. ALL SIGNING IS TO BE IN ACCORDANCE WITH THE CITY OF MILL CREEK STANDARDS.
8. ALL CORRUGATED PIPE SHALL BE 16 GAUGE ALUMINUM UNLESS NOTED OTHERWISE.
9. NO BACKFILLING OF DRAINAGE PIPES SHALL BE DONE UNTIL INSPECTED BY THE CITY OF MILL CREEK ENGINEER.
10. FOR SPECIFICATIONS REFER TO THE APPROVED IMPROVEMENT PLANS FOR STREETS AND STORM DRAINS FOR MILL CREEK I.




typical street section


* 7' EASEMENT FOR SLOPES, UTILITIES, AND TRAILS. (SEE PLAT).



typical pavement section



alternate pavement section




HDEV-175

SCALE: 1" = 50'


MILL CREEK GOLF COURSE

MILL CREEK GOLF COURSE




MILL CREEK 1

PLAN
1"=50'



CURB RETURN DETAILS
1"=20'



HDEV-176

10/1/87

FAIRWAY FOUNTAINS

EXISTING SITE MILL CREEK 17 - 1954 (20, 31) PF, 305106 402 23-Sag-87 11.57 / 3051.06-10120
3-3051-0601-20-D1 MILL CREEK 17 STREET & STORM DRAINAGE PLAN 2044

WILSEY & HAMING, INC.
engineering • planning • surveying
environmental analysis • landscape design
Central Park Building
Bellevue, Washington 98004
(206) 454-9850




**STREET AND STORM
DRAINAGE PLAN**
MILL CREEK 17



Revisions	Date	By
1	10/1/87	JAM
2	10/1/87	JAM
3	10/1/87	JAM
4	10/1/87	JAM
5	10/1/87	JAM
6	10/1/87	JAM
7	10/1/87	JAM
8	10/1/87	JAM
9	10/1/87	JAM
10	10/1/87	JAM
11	10/1/87	JAM
12	10/1/87	JAM
13	10/1/87	JAM
14	10/1/87	JAM
15	10/1/87	JAM
16	10/1/87	JAM
17	10/1/87	JAM
18	10/1/87	JAM
19	10/1/87	JAM
20	10/1/87	JAM
21	10/1/87	JAM
22	10/1/87	JAM
23	10/1/87	JAM
24	10/1/87	JAM
25	10/1/87	JAM
26	10/1/87	JAM
27	10/1/87	JAM
28	10/1/87	JAM
29	10/1/87	JAM
30	10/1/87	JAM
31	10/1/87	JAM
32	10/1/87	JAM
33	10/1/87	JAM
34	10/1/87	JAM
35	10/1/87	JAM
36	10/1/87	JAM
37	10/1/87	JAM
38	10/1/87	JAM
39	10/1/87	JAM
40	10/1/87	JAM
41	10/1/87	JAM
42	10/1/87	JAM
43	10/1/87	JAM
44	10/1/87	JAM
45	10/1/87	JAM
46	10/1/87	JAM
47	10/1/87	JAM
48	10/1/87	JAM
49	10/1/87	JAM
50	10/1/87	JAM
51	10/1/87	JAM
52	10/1/87	JAM
53	10/1/87	JAM
54	10/1/87	JAM
55	10/1/87	JAM
56	10/1/87	JAM
57	10/1/87	JAM
58	10/1/87	JAM
59	10/1/87	JAM
60	10/1/87	JAM
61	10/1/87	JAM
62	10/1/87	JAM
63	10/1/87	JAM
64	10/1/87	JAM
65	10/1/87	JAM
66	10/1/87	JAM
67	10/1/87	JAM
68	10/1/87	JAM
69	10/1/87	JAM
70	10/1/87	JAM
71	10/1/87	JAM
72	10/1/87	JAM
73	10/1/87	JAM
74	10/1/87	JAM
75	10/1/87	JAM
76	10/1/87	JAM
77	10/1/87	JAM
78	10/1/87	JAM
79	10/1/87	JAM
80	10/1/87	JAM
81	10/1/87	JAM
82	10/1/87	JAM
83	10/1/87	JAM
84	10/1/87	JAM
85	10/1/87	JAM
86	10/1/87	JAM
87	10/1/87	JAM
88	10/1/87	JAM
89	10/1/87	JAM
90	10/1/87	JAM
91	10/1/87	JAM
92	10/1/87	JAM
93	10/1/87	JAM
94	10/1/87	JAM
95	10/1/87	JAM
96	10/1/87	JAM
97	10/1/87	JAM
98	10/1/87	JAM
99	10/1/87	JAM
100	10/1/87	JAM

Date AUG. 1987
Scale 1" = 50'
Designed JAM
Drawn WEP/CAL
Checked DHB
Approved DHB
Dwg Number 3-3051-0601-20-D1
SHEET 2 of 4

UNITED DEVELOPMENT PLAN
survey index



10/1/87
HDEV-177

WILSEY & HAM
engineering • planning • surveying
environmental analysis • landscape design
Central Park Building
1980 - 1118th Ave. N.E.
Bellevue, Washington 98004
(206) 454-9850

MILL CREEK 17



Revisions


By Date

Date AUG 1987
Scale AS NOTED
Designed JAM
Drawn WEP
Checked DHB
Approved DHB

Dwg. Number
3051-0601-20-D2

SHEET
3 of 4

SCALE: 1" = 50'



TEMPORARY EROSION/SEDIMENTATION CONTROL

- Where possible, the temporary erosion control system shall be installed prior to all other construction.
- Where possible, maintain natural vegetation for silt control.
- As construction progresses and seasonal conditions dictate, more siltation control facilities may be required to ensure complete siltation control. Therefore, during the course of construction, it shall be the obligation and responsibility of the contractor to address any new conditions that may be created by his activities and to provide additional facilities over and above the minimum requirements as may be needed.
- All temporary siltation control shall be maintained in a satisfactory condition until such time that clearing and/or construction is completed, permanent drainage facilities are operational, and the potential for erosion has passed.
- All disturbed land areas left for 30 days or more shall be seeded with a mix as listed below or by a method approved by the City Engineer for the City of Mill Creek.


SEED MIX	FERTILIZER	MULCH-WOOD CELLULOSE/ HYDRAULIC SEEDING
20% Annual, Perennial, or Hybrid Ryegrass 40% Creeping Fescue 40% White Clover 120 Lbs./Acre	300 Lbs./Acre 10-20-20	1,500 Lbs./Acre

- Provide a temporary sediment trap, Type "A" at all new catch basins. As curb and gutter is constructed, the temporary sediment trap shall be changed to Type "B" for standard catch basin inlet.

MILL CREEK 1

LEGEND


- EXISTING CONTOURS
- PROPOSED CONTOURS
- LIMITS OF GRADING
- EXISTING STORM SEWERS
- PROPOSED STORM SEWERS



PLAN

PROTECT INLETS DURING CONSTRUCTION. KEEP SEDIMENT OUT OF THE STORM DRAINAGE SYSTEM. USE HALF-CIRCLE BEHIND CURB INLETS DURING STREET CONSTRUCTION. MODIFY PROTECTION AS CONSTRUCTION PROGRESSES.

CIRCULAR SHAPE IS NOT ESSENTIAL-VARY SHAPE TO FIT DRAINAGE AREA AND TERRAIN. OBSERVE TO CHECK TRAP EFFICIENCY AND MODIFY AS NECESSARY TO INSURE SATISFACTORY TRAPPING OF SEDIMENT. CAN BE ADAPTED TO THRU-CURB INLET.




SECTION


TEMPORARY SEDIMENT TRAP TYPE 'A' AT STORM DRAIN INLET

NTS.

RISER BLOCKS ARE LEFT OUT FROM BENEATH FRAME TO ALLOW FOR DRAINAGE FROM ROAD-BASE




ISOMETRIC



SECTION

TEMPORARY SEDIMENT TRAP TYPE 'B' AT STORM DRAIN INLET

NTS.



HDEV-178 10/1/87

FAIRWAY FOUNTAINS

EXISTING SITE MILL CREEK 17 - 1954 (20.3) PF: 305105 402 23-Sep-87 11:57 / 3051.06-10120
3-3051-C601-20-D1 MILL CREEK 17 GRADING & EROSION CONTROL PLAN 4 OF 4


WILSEY & HAM INC.
engineering • planning • surveying
environmental analysis • landscape design
Central Park Building
Bellevue, Washington 98004
1980 - 112th Ave. N.E.
(206) 454-8850

**GRADING & EROSION
CONTROL PLAN**
MILL CREEK 17



By	Date
Revisions	
Date	AUG. 1987
Scale	1" = 50'
Designed	JAM
Drawn	WEP/CAL
Checked	DHB
Approved	DHB
Dwg. Number	3-3051-C601-20-D1
SHEET	4 of 4

UNITED DEVELOPMENT CORP.
survey index





2' 22' (TWO WAY) 15' (ONE WAY) 2' 2% 2% CONC. ROLLED CURB (TYP.) 1 1/2" A.C. PAVEMENT (CLB) 4" ATB GRAVEL BASE (13 REQUIRED BY SOILS CONDITIONS)


Typical Private Street Section



Date	AUG 1987
Scale	$\frac{1}{4}'' = 50'$
Designed	JAM
Drawn	CAL / WEP
Checked	DHB
Approved	
Dwg. Number	3051-0601-20-DI
SHEET	
1	2
of	

WILSEY & HAM INC.
engineering • planning • surveying
environmental analysts • landscape design
Central Park Building
Bellevue, Washington 98004
1980 • 1124th Ave. N.E.
(206) 454-8250






WILSEY & HAM INC.
 engineering • planning • surveying
 environmental analysis • landscape design
 Central Park Building
 Bellevue, Washington 98004
 1980 - 1120th Ave. N.E.
 (206) 454-3850

LANDSCAPE PLAN

MILL CREEK 17

Washington


Mill Creek




Revisions	By	Date

Date	1/10/88
Scale	1"=30'
Designed	GAK
Drawn	GAK
Checked	
Approved	
Dwg. Number	2-3051-0801-20



SHEET	
1	of 2




Entry Treatment



Village Green Drive Section




Entry Sign & Control Center



Legend:

- STREET TREE**
- PRUNUS PIEDMONTENSIS - YOSHINO FLOWERING CHERRY
- SCREEN TREE**
- CEDRUS DEODARA - DEODAR CEDAR
- THUJA OCCIDENTALIS PYRAMIDALIS
- ACCENT SHRUBS AND GROUND COVER**
- RHODODENDRON SP. ARBUTUS UNEDO COMPACTA
- ILEX CRENATA VIBURNUM DAVIDII
- ABELIA EDWARD BOUCHER
- SEASONAL FLOWERS**
- LAWN**

All planting areas to be irrigated.



WILSEY & HAM INC.
engineering • planning • surveying
environmental analysis • landscape design
Central Park Building
Bellevue, Washington 98004
1980 - 115th Ave. N.E.
(206) 454-9850

LANDSCAPE TREATMENT
MILL CREEK 17
Mill Creek Washington



By: _____ Date: _____

Revisions: _____

Date: 9/10/99
Scale: 1" = 50'
Designed: RJB
Drawn: RD
Checked: _____
Approved: _____


Dwg. Number: 3-3051-0801-20
SHEET
2 of 2



CONSTRUCTION NOTES

1. All workmanship, construction methods, and materials shall conform to the 1988 Standard Specifications for Road, Bridge, and Municipal Construction, as published by the Washington State Department of Transportation, except as superceded by Technical Notes TN 382 and TN482, Design and Specification for the Construction of Interlocking Concrete Pavement for Road Traffic, as published by Weston Construction Products.
2. Subgrade area over existing utility trenches that are contaminated with fine soils, and other subgrade areas that are excessively wet or contain fine soils shall be removed and replaced with clean granular soil, compacted to 95 percent of the maximum dry density. The entire subgrade area shall then be compacted with a heavy vibratory roller to at least 95% of the maximum dry density.
3. Base course shall consist of Crushed Surfacing Top Course as specified in Section 9-03.9(3) of the Standard Specifications compacted to 95% of the maximum dry density.
4. Bedding Course shall consist of clean sand graded such that no more than 10%, by weight, is finer than 0.075 millimeters (passing a U.S. No. 200 sieve). Placement and compaction of Bedding Course shall conform to Technical Notes TN 382 and TN 482.
5. Joint sand shall consist of clean sand graded such that 100% pass through a No. 16 sieve and no more than 10% should be finer than the opening in a No. 200 sieve. Placement of joint sand shall conform to Technical Notes TN 382 and TN 482.
6. Pavers shall be "Heritage" Autumn Gold, as manufactured by Weston Construction Products. Installation of pavers shall conform to Technical Notes TN 382 and TN 482.

NOTE:
This design was prepared on the basis of geotechnical recommendations outlined in a letter dated April 1, 1988 by Converse Consultants NW and product specifications provided by Westcon Construction Products



APPROVED FOR CONSTRUCTION

W. Allan Newbill 4.28.88
CITY OF MILL CREEK

PAVER DETAILS

MILL CREEK 17



By _____ Date _____

Revisions _____


Date APRIL 21, 1988
Scale NONE
Designed DHB
Drawn JRM
Checked _____
Approved _____

Dwg. Number
3-305'-0301/-13


SHEET

1 of 1


WILSEY & HAM INC.
 engineering • planning • surveying
 environmental analysis • landscape design
 Central Park Building
 Bellevue, Washington 98004
 1980 - 112th Ave. N.E.
 (206) 454-3850



VICINITY MAP



LOCATION MAP



NOTES


- Fire and Police: City of Mill Creek
- School District: Everett School District No. 2
- Existing Zoning: PRD 7200 with Contract
- Proposed Zoning: Same
- Site Acreage: 6.1 Acres
- Open Space Area: .48 Acre plus - Credit from Nature Preserve and Golf Course
- Roadway Area: .43 Acre
- Lineal Feet Roadway: 390 L.F. (Private)
- Average Lot Size: .74 Acre
- Smallest Lot Size: .6 Acre
- Contour Intervals: 2'
- Vegetation/Tree Cover: Deciduous and Evergreen Tree Cover, With Some Open Areas
- Sanitary sewers will be provided and connected to Alderwood Water District.
- The water distribution system will be constructed and connected to Alderwood Water District.
- All storm runoff will be collected and discharged in accordance with City of Mill Creek Standards.
- All areas will be subject to the restrictive covenants of Mill Creek as on file Under Auditor's File Number 2382420.
- Common areas are to be reserved for common use of property owners.

OWNER/DEVELOPER

United Development Corporation
15714 Country Club Drive
Mill Creek, Washington 98012
Phone: (206) 743-6136

ENGINEER/SURVEYOR

Wilsey & Ham
1980-112th Avenue N.E., Suite 200
P.O. Box C-97394
Bellevue, Washington 98009
Phone: (206) 454-3250



Typical Private Street Section

LEGAL DESCRIPTION

All that certain real property situate in the City of Mill Creek, County of Snohomish, State of Washington, being a portion of the west half of Sec. 5, T.27N., R.5E., W.M., and being more particularly described as follows:


BEGINNING at a point on the northerly right-of-way line of Village Green Drive as shown on the Plat of Mill Creek - 1, recorded in Vol. 35 of Plats, pages 11 through 16 inclusive, under A.F. #2382696, distant thereon N81°26'35"W 168.45 feet from the southwesterly corner of Tract 220, as shown on said Plat of Mill Creek - 1; thence from said POINT OF BEGINNING along said northerly right-of-way line, N81°26'35"W 620.35 feet; thence tangent to the preceding course along the arc of a curve to the left having a radius of 380.00 feet and a central angle of 05°24'32", an arc length of 35.87 feet to a point on the boundary of Mill Creek Golf Course; thence along last said boundary the following courses: N39°02'21"E 302.90 feet, thence N73°07'11"E 810.36 feet; thence S29°23'20"W 648.94 feet to the POINT OF BEGINNING.

NOTE: Building Construction within Restricted Building Areas will require special footing or other design due to unsuitable foundation material, to be reviewed and approved by the City of Mill Creek Building Department.



Legend:

Contour depths of peat soils




Source of peat depth contour mapping from Harstad survey

WILSEY & HAM INC.
engineering • planning • surveying
environmental analysis • landscape design
Central Park Building 98004
Bellevue, Washington 98004
(206) 454-3250


Soil Depth Map
for
MILL CREEK 17
Mill Creek Washington




Revisions
By Date
Remove Tree Cover 7/88
Date JULY 1987
Scale 1" = 50'
Designed RJG
Drawn WEP
Checked JAM
Approved DHB
Dwg. Number
3-3051-0401-20
SHEET
1 of 1



VICINITY MAP



LOCATION MAP



NOTES


- Fire and Police: City of Mill Creek
- School District: Everett School District No. 2
- Existing Zoning: PRD 7200 with Contract
- Proposed Zoning: Same
- Site Acreage: 6.1 Acres
- Open Space Areas: .48 Acre plus - Credit from Nature Preserve and Golf Course
- Roadway Area: .43 Acre
- Lineal Feet Roadway: 390 L.F. (Private)
- Average Lot Size: .74 Acre
- Smallest Lot Size: .6 Acre
- Contour Interval: 2'
- Vegetation/Tree Cover: Deciduous and Evergreen Tree Cover, With Some Open Areas
- Sanitary sewers will be provided and connected to Alderwood Water District.
- The water distribution system will be constructed and connected to Alderwood Water District.
- All storm runoff will be collected and discharged in accordance with City of Mill Creek Standards.
- All areas will be subject to the restrictive covenants of Mill Creek as on file Under Auditor's File Number 2382420.
- Common areas are to be reserved for common use of property owners.

OWNER/DEVELOPER

United Development Corporation
15714 Country Club Drive
Mill Creek, Washington 98012
Phone: (206) 743-6136

ENGINEER/SURVEYOR

Wilsey & Ham
1980-112th Avenue N.E., Suite 200
P.O. Box C-97304
Bellevue, Washington 98009
Phone: (206) 454-3250




Typical Private Street Section

LEGAL DESCRIPTION

All that certain real property situate in the City of Mill Creek, County of Snohomish, State of Washington, being a portion of the west half of Sec. 5, T.27N., R.5E., W.M., and being more particularly described as follows:

BEGINNING at a point on the northerly right-of-way line of Village Green Drive as shown on the Plat of Mill Creek - 1, recorded in Vol. 35 of Plats, pages 11 through 16 inclusive, under A.F. #2382696, distant thereon N81°26'35"W 168.45 feet from the southwesterly corner of Tract 220, as shown on said Plat of Mill Creek - 1; thence from said POINT OF BEGINNING along said northerly right-of-way line, N81°26'35"W 620.35 feet; thence tangent to the preceding course along the arc of a curve to the left having a radius of 380.00 feet and a central angle of 05°24'32", an arc length of 35.87 feet to a point on the boundary of Mill Creek Golf Course; thence along last said boundary the following courses: N39°22'10"E 302.90 feet, thence N73°07'11"E 810.36 feet; thence S29°23'20"W 648.94 feet to the POINT OF BEGINNING.

NOTE: Building Construction within Restricted Building Areas will require special footing or other design due to unsuitable foundation material, to be reviewed and approved by the City of Mill Creek Building Department.



PRELIMINARY PLAT

MILL CREEK 17

Mill Creek Washington



By Date

Revisions

Date JULY 1987
Scale 1" = 50'
Designed RJB
Drawn WEP
Checked J.A.M.
Approved D.H.B.

Dwg Number 3-3051-0401-20
SHEET

1 of 4



MILL CREEK GOLF COURSE

APPROX. EDGE FAIRWAY

R2

R10

R18

R26

NOTES


- Fire and Police: City of Mill Creek
- School District: Everett School District No. 2
- Existing Zoning: PRD 7200 with Contract
- Proposed Zoning: Same
- Site Acreage: 6.1 Acres
- Open Space Area: 48 Acre plus - Credit from Nature Preserve and Golf Course
- Roadway Area: 43 Acre
- Lineal Feet Roadway: 390 L.F. (Private)
- Average Lot Size: 74 Acre
- Smallest Lot Size: 46 Acre
- Contour Intervals: 2'
- Vegetation/Tree Cover: Deciduous and Evergreen Tree Cover, With Some Open Areas
- Sanitary sewers will be provided and connected to Alderwood Water District.
- The water distribution system will be constructed and connected to Alderwood Water District.
- All storm runoff will be collected and discharged in accordance with City of Mill Creek Standards.
- All areas will be subject to the restrictive covenants of Mill Creek as on file Under Auditor's File Number 2382420.
- Common areas are to be reserved for common use of property owners.

OWNER/DEVELOPER

United Development Corporation
15714 Country Club Drive
Mill Creek, Washington 98012
Phone: (206) 743-6136

ENGINEER/SURVEYOR

Wilsey & Ham
1980-112th Avenue N.E., Suite 200
P.O. Box C-97304
Bellevue, Washington 98009
Phone: (206) 454-3250





Typical Private Street Section

LEGAL DESCRIPTION

All that certain real property situate in the City of Mill Creek, County of Snohomish, State of Washington, being a portion of the west half of Sec. 5, T.27N., R.5E., W.M., and being more particularly described as follows:


BEGINNING at a point on the northerly right-of-way line of Village Green Drive as shown on the Plat of Mill Creek - 1, recorded in Vol. 35 of Plats, pages 11 through 16 inclusive, under A.F. #2382696, distant thereon N81°26'35"W 168.45 feet from the southwesterly corner of Tract 220, as shown on said Plat of Mill Creek - 1; thence from said POINT OF BEGINNING along said northerly right-of-way line, N81°26'35"W 620.35 feet; thence tangent to the preceding course along the arc of a curve to the left having a radius of 380.00 feet and a central angle of 05°24'32", an arc length of 35.87 feet to a point on the boundary of Mill Creek Golf Course; thence along last said boundary the following courses: N39°22'10"E 302.90 feet, thence N73°07'11"E 810.36 feet; thence S29°23'20"W 648.94 feet to the POINT OF BEGINNING.

NOTE: Building Construction within Restricted Building Areas will require special footing or other design due to unsuitable foundation material, to be reviewed and approved by the City of Mill Creek Building Department.



STORM DRAINAGE NOTES

1. The site slopes gently from the west and from the east to a naturally occurring low area near the center of the site.
2. The site is lightly wooded, and contains some areas of unsuitable foundation material, which are shown as Restricted Building Areas.
3. The natural drainage follows the low area near the center of the site to an 18-inch culvert near the golf course, where it is collected and conveyed to Penny Creek.
4. The approximate impervious surface of the plat (road, buildings, driveways) is estimated to be 1.53 acres, or 25% of the site.
5. All storm drainage improvements will comply with the City of Mill Creek Ordinance 95-91, 1985.
6. Pond F formerly designated for detention on this site was eliminated in accordance with Wilscey & Ham's report of March, 1981, approved by Snohomish County on April 15, 1981.



8/10/87

PRELIMINARY DRAINAGE PLAN

MILL CREEK 17




Mill Creek Washington

Deviations
P... D...

Date JULY 1987
Scale 1" = 50'
Designed J.A.M.
Drawn W.E.P.
Checked D.H.B.
Approved D.H.B.

Dwg. Number
3-3051-0401-20
SHEET

2 of 4




NOTES

- Fire and Police: City of Mill Creek
- School District: Everett School District No. 2
- Existing Zoning: PRD 7200 with Contract
- Proposed Zoning: Same
- Site Acres: 6.1 Acres
- Open Space Area: 48 Acres plus - Credit from Nature Preserve and Golf Course
- Roadway Area: 0.3 Acres
- Linear Feet Roadway: 390 L.F. (Private)
- Average Lot Size: 7.9 Acres
- Smallest Lot Size: 0.6 Acres
- Contour Interval: 2'
- Vegetation/Tree Cover: Deciduous and Evergreen Tree Cover, With Some Open Areas
- Sanitary sewers will be provided and connected to Alderwood Water District.
- All storm runoff will be collected and discharged in accordance with City of Mill Creek Standards.
- All areas will be subject to the restrictive covenants of Mill Creek as on file Under Auditor's File Number 238220.
- Common areas are to be reserved for common use of property owners.

OWNER/DEVELOPER


United Development Corporation
12714 County Club Drive
Mill Creek, Washington 98012
ENGINEER/SURVEYOR
Wiley & Ham
1980-12th Avenue N.E., Suite 200
P.O. Box C-97304
Bellevue, Washington 98009
Phone: (206) 743-6136



LEGAL DESCRIPTION

All that certain real property situated in the City of Mill Creek, County of Snohomish, State of Washington, being a portion of the west half of Sec. 5, T.27N., R.5E., W.M., and being more particularly described as follows:
BEGINNING at a point on the northerly right-of-way line of Village Green Drive as shown on the Plat of Mill Creek - 1, recorded in Vol. 35 of Plats, pages 11 through 16 inclusive, under A.F. #2382696, distant thereon N81°26'35"W 168.45 feet from the southwesterly corner of Tract 220, as shown on said Plat of Mill Creek - 1; thence from said POINT OF BEGINNING along said northerly right-of-way line, N81°26'35"W 620.35 feet thence tangent to the preceding course along the arc of a curve to the left having a radius of 380.00 feet and a central angle of 05°24'32", an arc length of 35.87 feet to a point on the boundary of Mill Creek Golf Course, thence along said boundary the following courses: N39°22'10"E 302.90 feet, thence N79°07'11"E 810.36 feet; thence S29°23'20"W 648.94 feet to the POINT OF BEGINNING.

NOTE: Building Construction within Restricted Building Areas will require special footing or other design due to unsuitable foundation material to be reviewed and approved by the City of Mill Creek Building Department.



LEGEND

- Limits of on-site disposal of unsuitable foundation material
- Temporary drainage swale with shaw
- Proposed rough grading elevation and depth of cut (c) or fill (f)
- Proposed grading contour

NOTES

- This plan shows rough grading only.
- Total amount of material to be moved is 4500 CY (±) including removal of peat and backfill with structural fill.
- Maximum side slope of disposal fills is 5:1.



Revisions

By	Date

3 of 4

3-3051-0401-20

Drawn: JAM

Checked: DHB

Approved: DHB

Scale: 1" = 50'

Date: JULY 1987

PRELIMINARY GRADING PLAN

MILL CREEK 17

Mill Creek Washington

WILSEY & HAM INC.

engineering • planning • surveying

environmental analysis • landscape design

Central Park Building
1980 - 112th Ave. N.E.
Bellevue, Washington 98004
(206) 454-3250